


FLEXIBLE OPTIONS **EASY TO INSTALL** **AND USE**



TM9000 MOBILE RADIO **CONTROL HEADS**

Designed for maximum flexibility, with a range of accessories and installation kits to suit a variety of different vehicles and types of operation.

tait
communications

TM9000 CONTROL HEADS TCH SERIES

HIGH-RESOLUTION, EASY-TO-READ COLOR DISPLAYS

- › Compatible with TM9300, TM9400, TM9700, TM9800 and TM9900 mobiles.
- › Upgrade your existing TM9300 and TM9400 fleets for an enhanced user experience.



TCH3: LOCAL MOUNT CONTROL HEAD WITH SPEAKER

- › Compact color control head (same width as TM93/94 radio body)
- › Local mount (attached to radio body)
- › Built-in 4W speaker, optional external speakers
- › Four function keys (two softkeys)
- › Standard or keypad microphone



TCH4: REMOTE CONTROL HEAD WITH SPEAKER

- › DIN size color control head
- › Remote mount (separate from radio body)
- › Built-in 4W speaker, optional external speakers
- › Five function keys (two softkeys)
- › Standard or keypad microphone
- › Option of single and dual remote head
- › Built-in covert microphone



TCH6: REMOTE CONTROL HEAD WITH KEYPAD

- › DIN size color control head
- › Remote mount (separate from radio body)
- › Requires external speaker
- › Built-in numeric keypad
- › Five function keys (two softkeys)
- › Standard or keypad microphone
- › Built-in covert microphone



TCH8: ADVANCED CONTROL HEAD¹

- › DIN size color control head
- › Available for local and remote² mount
- › Requires external speaker (can be connected to a TCH8 remote head and/or radio body)
- › Multiple banks of softkeys
- › Standard or keypad microphone
- › Bluetooth® in the control head
- › Option of single and dual remote head
- › Built-in covert microphone

1. Available in North America at first release.

2. TCH8 remote installations require the T02-00307-AAAA interface

TM9000 CONTROL HEADS OPTIONS

All TM9000 control heads options are designed to make vehicle installation easier, reducing the overall cost of a fleet upgrade. Options include local dash mount and remote kits, built-in 4W speaker or optional 15W Rugged External Speaker, built-in keypad or optional keypad microphone.

- › TCH and HHCH are compatible with all current TM9000 mobiles
- › TCH4, TCH6 and HHCH are compatible with TMX450



HAND HELD CONTROL HEAD (HHCH)

- › Highly flexible installation options
- › Requires external speaker
- › Dual Control Head capability (TM9357, TM9457)
- › Color options – black, green, red or yellow



SPEAKER OPTIONS

- › 15W Rugged External Speaker, IP67, able to wire speakers in parallel
- › 10W Standard Speaker
- › Compatible with all TM9000 mobile radios and control heads
- › Refer to the [TM9000 Options and Accessories Catalog](#) for more information about speaker options



Rugged External Speaker



Standard Speaker

MICROPHONE OPTIONS

- › Standard Microphone
- › Keypad Microphone with menu scrolling keys, two soft keys and numeric keypad
- › Compatible with TCH
- › Refer to the [TM9000 Options and Accessories Catalog](#) for more options including handsfree mic with remote PTT, handsets and desktop microphone



Standard



Keypad

TM9000 CONTROL HEADS COMPARISON CHART

CONTROL HEAD	HHCH	TCH3	TCH4	TCH6	TCH8
Physical Dimensions (W x H x D)	65 x 135 x 35mm 2.6 x 5.3 x 1.4in	160 x 52 x 51mm 6.3 x 2.0 x 2.0in	178 x 52 x 72mm 7.0 x 2.0 x 2.8in	178 x 52 x 72mm 7.0 x 2.0 x 2.8in	178 x 52 x 72mm 7.0 x 2.0 x 2.8in
Excluding radio body			(DIN size)	(DIN size)	(DIN size)
Weight	289g (10.2oz)	210g (7.4oz)	282g (9.9oz)	282g (9.9oz)	282g (9.9oz)
Display Visible Area (W x H)	35 x 18mm 1.4 x 0.7in	62 mm x 24mm 2.5 x 0.9in	62 mm x 24mm 2.5 x 0.9in	62 mm x 24mm 2.5 x 0.9in	62 mm x 24mm 2.5 x 0.9in
Display Resolution (W x H)	96 x 62px	422 x 154px	422 x 154px	422 x 154px	422 x 154px
Display Capabilities	Four-line monochrome transreflective display with icons, soft key labels and menu options	High resolution, easy to read, four-line color transmissive TFT display including icons, soft key labels and menu options			
Soft Keys	2	4	4	4	4
Programmable Function Keys (Includes Emergency Key)	6	4 (includes 2 soft keys)	5 (includes 2 soft keys)	5 (includes 2 soft keys)	up to 15 (including 12 softkeys in 3 banks)
Orange Emergency Key (Uses function key)	Yes	Yes	Yes	Yes	Yes
Covert microphone	N/A	No	Yes	Yes	Yes
Speaker	External 10W or 15W	Built-in 4W External 10W or 15W options	Built-in 4W External 10W or 15W options	External 10W or 15W	External 10W or 15W
Full Keypad (to dial numbers, or enter text)	Built-in	Via Keypad Microphone	Via Keypad Microphone	Built-in	Via Keypad Microphone
Local Mount option (Control Head attached directly to radio body)	No	Yes	No	No	Yes
Remote Mount Option (Control Head separate from radio body)	Single and dual head support ²	No	Single and dual head support ^{1,2}	Single and dual head support ^{1,2}	Single and dual head support ^{1,2,3}
Housing Color Options	Black, Yellow, Green, Red	Black	Black	Black	Black

1. Remote Head Extender Kits are not currently supported for TCH4, TCH6 or TCH8
2. Refer to the [TM9000 Options and Accessories Catalog](#) for more information
3. TCH8 remote installations require the T02-00307-AAAA interface

Tait has taken every care in compiling this brochure, but we're always innovating and therefore changes to our models, designs, technical specifications, visuals and other information included in this brochure could occur. For the most up-to-date information and for a copy of our terms and conditions please visit our website www.taitcommunications.com

The words "Tait", "TAIT AXIOM", and the "Tait" logo are trademarks of Tait International Limited.

Copyright © 2023 Tait International Limited Tait_DS_TM9000_ControlHeads_v2

